



### RSIC-1 LOW PROFILE



The **RSIC-1-LOW PROFILE** is designed for use with any wood framed, steel framed ceiling system. The RSIC-1-LOW PROFILE clip decouples and isolates the gypsum board or plywood from the structure where maximum ceiling height is desired. With an Acoustical design load rating of 36 lbs per isolator, the RSIC-1-LOW PROFILE clip can support one or two layers of 5/8" gypsum board when spaced at 24" x 48" oc. For heavier systems increase the number of isolators to support the additional weight of the system. The RSIC-1-LOW PROFILE clip fastens directly to the side of the framing creating a cavity below the joist as small as 1/2".


### **RSIC-1-LOW PROFILE, the Low Cost, High Performance, Noise control Solution**

Wood
Steel
Metal deck

Concrete
Condo
Commercial

Apartment
Retail
Conference Rooms

Recording Studio
Home Theater
Commercial theater



### RSIC-1-LOW PROFILE specifications:

Acoustical design load:	36 Lbs
Total deflection	3 mm
Double deflection	Yes (1.5 mm)
Low VOC	Yes
Adjustable	Yes
Cavity min	1/2"
Cavity Max	1"
Adjustment limit	1/2"
Use on Ceilings	Yes
Use on walls	No
New Construction	Yes
Assembled in USA	Yes